



DIESEL - SIDELOADER

with unique construction



STRONG.

up to **25 TONS**
lifting capacity

EFFICIENT.

High productivity
and easy maintenance

INTELLIGENT.

Heavy Line with
fleetmanagement tool

A tradition of innovation and reliability.



Tailor-made design and production




Machinery Tradition

since 1879

Founded as Schöberl & Söhne Motoren- und Maschinenfabrik, the company specialised in the development and production of JUMBO sideloaders from the 1980s onwards, thus creating an iconic product. This significant step was followed by many more on the path to market leadership in this segment.

However, the company did not just develop internally but integrated the technology of the industry pioneers IRION, LANCER and SHS into its skillset. In this way, BULMOR developed its strengths into clear competitive advantages for customers and users.



www.bulmor.com


Long-load transport

Typical BULMOR

- ROBUST
- EFFICIENT
- SAFE
- ECONOMICAL



Typical BULMOR: DECADES OF EXPERIENCE



Unique
construction
for extreme
stability.

BENEFIT FROM OUR
STRONG AND EFFICIENT VEHICLES.

DIESEL SIDeloader | Maximum productivity of internal flows of goods

Diesel Sideloader with **NOTOX-frame**

Smart
solutions for
strong
operations.

This Bulmor sideloader category fast and comfortably lifts loads of any sort weighing up to 25 tons.

High availability and **excellent durability** are characteristic for these machines.

The exceptionally resilient lift mast, the inwards moved right front wheel, which allows for **outstanding agility** also while **maximum steering angle**, as well as the highly comfortable cabin form the basis for exceptional operations.



Easy maintenance

due to onstruction with eas-
ily accessible maintenance
flaps.



Safe load handling

due to massive bulmor
hoist and cab-side tilt
cylinder.



Comfortable driving

ergonomic driver's cabin
in premium line with a lot
of comfortable features.



Info terminal

State-of-the-art computer
technology allows easy
reading of driver and
customer service information.



Modular mounting options Optional extensions such as load bumper plates, steps, fire extinguishers or
toolboxes can be readily fitted.



This makes a BULMOR STRONG:

- Robust chassis with **NOTOXFRAME** in core construction
- Especially designed for **handling heavy and bulky material**
- **Tilting cylinders** on cabin site
- Mast push-out by **crossed hydraulic cylinders**

SPEZIFICATION

Diesel Sideloader	DQnr 50 Classic Line	DQrc 50 // DQrc 60 Classic Line	DQr 60 // 70 // 80 Classic Line	DQ 60 // 70 // 80 Premium Line
engine / power in kW (PS)	55,4 (75) - EU Stage V international warehouse use: Yes	55,4 (75) - EU Stage V international warehouse use: Yes	74,4 (100) - EU Stage V international warehouse use: Yes	74,4 (100) - EU Stage V international warehouse use: Yes
Lifting capacity	up to 5 tons	up to 5 // 6 tons	up to 6 // 7 // 8 tons	up to 6 // 7 // 8 tons
Lifting height	up to 8000 mm	up to 8000 mm	up to 8000 mm	up to 8000 mm
Overall dimension (L x B x H)	4500 x 2230 (2030) x 2610	4610 x 2200 (2000) x 2790 // 4760 x 2260 (2060) x 2790	4950 x 2000 - 3000 x 2790 // 4950 x 2080 - 3060 x 2790 // 4950 x 2100 - 3080 x 2790	4950 x 2200 (2000) x 2790 // 4950 x 2260 (2080) x 2790 // 4950 x 2280 (2100) x 2790
Turning radius (Wa/Wi)	4370 (4250) / 600	4460 (4340) / 800 // 4650 (4530) / 800	4600 /4490) / 700 // 4640 (4530) / 700 // 4650 (4540) / 700	4600 (4490) / 700 // 4640 (4530) / 700 // 4650 (4540) / 700
Well width	1500	1350 / 1500	1500	1500
Platform width	1200 / 1400 / 1600	1200 / 1400 / 1600	1200 - 2200	1200 - 2200
Platform height	850	1030	1030	1030
Battery	12V / 75 Ah	12V / 75 Ah	12V / 150 Ah	12V / 150 Ah
Mast types	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift
Technology	- Conventional hydraulics and electrics - Hydraulic end-position damping	- Conventional hydraulics and electrics - Hydraulic end-position damping	- Conventional hydraulics and electrics - Hydraulic end-position damping	Load Sensing System Electronic end-position damping CAN Technology
Cabine	Stage V for indoor use  Classic cabin Standard cabin with 780 mm width (optional: 980mm), tinted slices and sliding window - large Skylight with hinged protective grid - Standarddisplay - Heating - Suspended seat - Sliding window on load side - BeGe health seat with seat belt	 Classic cabin Standard cabin with 780 mm width (optional: 980mm), tinted slices and sliding window - large Skylight with hinged protective grid - Standarddisplay - Heating - Suspended seat - Sliding window on load side - BeGe health seat with seat belt	 Classic cabin Standard cabin with 780 mm width (optional: 980mm), tinted slices and sliding window - large Skylight with hinged protective grid - Standarddisplay - Heating - Suspended seat - Sliding window on load side - BeGe health seat with seat belt	 Vibration-damped comfort cabin with 780 mm width (optional: 980mm), - tinted slices and sliding window - large Skylight with hinged protective grid - BeGe health seat with seat belt - Ergonomic armrest - Multifunction display
Options	Can be customized with standard options	Can be customized with standard options	Can be customized with standard options	Comprehensive option catalog: - Automatic dipped beam control - Backup camera - Automatic back-up alarm - Easy Key

Typical BULMOR: EXPERTS IN HEAVY-DUTY TRANSPORT

Diesel Sideloader **HEAVY**LINE up to 25 tons

Robust Bulmor design
guarantees highest stability.

The big wheels, the high-performance drive and the exceptionally solid lift mast ensure power reserves when it comes to extraordinary applications. This machine category easily, comfortably and safely handles loads up to 25 tons.



mybulmor
FLEET MANAGEMENT

BULMOR | smart among the strong

Sideloader up to 25 t

TYPES:

DQn 80 - 100
DQ 100 - 120
DQ 130 - 150
DQ 160 - 180
DQ 200 - 250

Massive execution

The robust frame construction at the heart of a BULMOR ensures high stability and longevity.

Extremely high thrust

The hoist with cross-extension cylinder ensures high thrust without torsion.

Strong under high loads

The BULMOR mast, which was specially developed for long goods, offers the necessary robustness under high loads.

Smooth handling

thanks to electronic extension control for consistent handling.



bulmor

SPECIFICATIONS

HEAVY LINE Sideloader	DQn 80 // 100	DQ 100 // 120	DQ 130 // DQ 150	DQ 160 // 180	DQs 200 // 250
Engine / power in kW (PS)	100 (136) - EU Stage V internal warehouse use: Yes	129 (175) - EU Stage V internal warehouse use: Yes	129 (175) - EU Stage V internal warehouse use: Yes	186 (253) - EU Stage V internal warehouse use: Yes	225 (306) - EU Stage V internal warehouse use: Yes
Lifting capacity	up to 8 // 10 tons	up to 10 // 12 tons	up to 13 // 15 tons	up to 16 // 18 tons	up to 20 // 25 tons
Lifting height	up to 8000 mm	up to 8000 mm	up to 8000 mm	up to 8000 mm	up to 8000 mm
Overall dimension (L x B x H)	5690 x 2300 (2500) x 3150	6250 x 2300 (2500) x 3300	6650 x 2600 (2800) x 3550	7040 x 2600 (2800) x 3600	7000 x 2900 (3100) x 3700
Turning radius (Wa/Wi)	5280 (5400) / 830	5700 (5820) / 1030	6090 (6210) / 970	6880 (7010) / 1910	7620 (7750) / 2110
Well width	1600	1800	1800	1800	2000
Platform width	1400 / 1600	1400 / 1600	1600 / 1800	1600 - 1800	1800 - 2000
Platform height	1260	1380	1530	1650	1680
Battery	12V / 150 Ah	24V / 180 Ah	24V / 180 Ah	24V / 135 Ah	24V / 180 Ah
Mast types	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift	Duplex / Triplex / Freelift
Technology	Load Sensing System				
	Electronic end position damping				
	CAN Technology				
Cabin	 Premium Cabin Premium Cabin modern, vibration-damped comfort cabin with Komfortkabine mit 880 mm width, tinted slices and sliding window • large Skylight with hinged protective grid • standarddisplay • heating • suspended seat • sliding window on load side • BeGe health seat with seat belt 				
Options	Can be customized with extensive options	Can be customized with extensive options	Can be customized with extensive options	Can be customized with extensive options	Can be customized with extensive options

Typical BULMOR: for long, heavy and bulky goods.

A BULMOR for every application

Our individually designed Sideloaders are used in all industries and offer comfortable and safe handling of your goods.



- WOOD TRANSPORT
- METAL TRANSPORT
- PLASTICS
- ALUMINIUM
- AUTOMOTIVE
- BUILDING MATERIAL
- TRANSPORT
- SHEET METAL INDUSTRY
- COILS
- TRANSPORT OF
- WINDOWS AND DOORS



The experts in
exceptionally long
applications:

Safe, fast and economical in various
applications all over the world.



Individually constructed and produced



Tailor-made solutions for indoor and outdoor use are possible and are tailored precisely to transport needs.



Typical BULMOR -

smart among the strong

The machines in the BULMOR fleet stand for power and robustness, as well as efficiency and safety.

Every machine is created using the experience and genes of more than 45 years of experience in the field of forklift construction. With this strength, coupled with today's modern technical know-how, **we build smart solutions for strong operations.**

BULMOR industries GmbH

Kickenau 1
A-4320 Perg

t +43 7262 58397-0
e info@bulmor.com
www.bulmor.com

BULMOR Lancer Ltd.

Chartmoor Road
Leighton Buzzard
UK-LU7 4GW Beds

t +44 1525 378 000
e info@bulmor.com
www.bulmor-lancer.com

Votex Bison

Material Handling B.V.
Croy 30
NL-5653 LD Eindhoven

t +31 40 2263 219
e info@votex-bison.com
www.votex-bison.com

BULMOR Sonderfahrzeuge GmbH

MKF Kompaktstapler & Sonderfahrzeuge
August-Horch-Straße 43
D-56751 Polch

t +49 2654 881322
e info-bsf@bulmor.com
www.bulmor.com/bsf

www.bulmor.com